

# Stroke

American Stroke  
Association<sup>SM</sup>

JOURNAL OF THE AMERICAN HEART ASSOCIATION

A Division of American  
Heart Association



## How Many Coils Do Patients With Aneurysmal Subarachnoid Hemorrhage Need?

Pedro Schestatsky and Paulo Dornelles Picon

*Stroke* 2009;40:e717; originally published online Oct 29, 2009;

DOI: 10.1161/STROKEAHA.109.551903

Stroke is published by the American Heart Association, 7272 Greenville Avenue, Dallas, TX 75214  
Copyright © 2009 American Heart Association. All rights reserved. Print ISSN: 0039-2499. Online  
ISSN: 1524-4628

The online version of this article, along with updated information and services, is located on the World Wide Web at:

<http://stroke.ahajournals.org/cgi/content/full/40/12/e717>

Subscriptions: Information about subscribing to *Stroke* is online at  
<http://stroke.ahajournals.org/subscriptions/>

Permissions: Permissions & Rights Desk, Lippincott Williams & Wilkins, a division of Wolters Kluwer Health, 351 West Camden Street, Baltimore, MD 21202-2436. Phone: 410-528-4050. Fax: 410-528-8550. E-mail:  
[journalpermissions@lww.com](mailto:journalpermissions@lww.com)

Reprints: Information about reprints can be found online at  
<http://www.lww.com/reprints>

# Letters to the Editor

Stroke welcomes Letters to the Editor and will publish them, if suitable, as space permits. They should not exceed 750 words (including references) and may be subject to editing or abridgment. Please submit letters in duplicate, typed double-spaced. Include a fax number for the corresponding author and a completed copyright transfer agreement form (available online at <http://stroke.ahajournals.org> and <http://submit-stroke.ahajournals.org>).

## How Many Coils Do Patients With Aneurysmal Subarachnoid Hemorrhage Need?

To the Editor:

Congratulations for the very relevant work from Bederson et al<sup>1</sup> addressing the evidence-based management of aneurysmal subarachnoid hemorrhage. However, the authors did not provide data on the average number of needed coils for each procedure. This issue is extremely important for many public health systems around the world that guarantee free distribution of high-cost treatments for their population. Therefore, we believe that such information, which is unavailable in many important trials analyzing coil embolization for aneurysmal subarachnoid hemorrhage,<sup>2-4</sup> should be taken into account in future neurosurgical guidelines.

### Disclosures

None.

**Pedro Schestatsky, PhD**  
**Paulo Dornelles Picon, PhD**  
*Hospital Clínic*  
*Porto Alegre, Brazil*

1. Bederson JB, Connolly ES Jr, Batjer HH, Dacey RG, Dion JE, Diringer MN, Duldner JE Jr, Harbaugh RE, Patel AB, Rosenwasser RH; American Heart Association. Guidelines for the management of aneurysmal subarachnoid hemorrhage: a statement for healthcare professionals from a special writing group of the Stroke Council, American Heart Association. *Stroke*. 2009;40:994-1025.
2. Vanninen R, Koivisto T, Saari T, Hernesniemi J, Vapalahti M. Ruptured intracranial aneurysms: acute endovascular treatment with electrolytically detachable coils: a prospective randomized study. *Radiology*. 1999;211:325-336.
3. Molyneux A, Kerr R, Stratton I, Sandercock P, Clarke M, Shrimpton J, Holman R. International Subarachnoid Aneurysm Trial (ISAT) Collaborative Group. International Subarachnoid Aneurysm Trial (ISAT) of neurosurgical clipping versus endovascular coiling in 2143 patients with ruptured intracranial aneurysms: a randomised trial. *Lancet*. 2002;360:1267-1274.
4. Molyneux AJ, Kerr RS, Yu LM, Clarke M, Sneade M, Yarnold JA, Sandercock P. International Subarachnoid Aneurysm Trial (ISAT) Collaborative Group. International subarachnoid aneurysm trial (ISAT) of neurosurgical clipping versus endovascular coiling in 2143 patients with ruptured intracranial aneurysms: a randomised comparison of effects on survival, dependency, seizures, rebleeding, subgroups, and aneurysm occlusion. *Lancet*. 2005;366:809-817.